

Stock # MS11



Siemens tiastar Motor Control Center, NEMA 1, 3 sections 20" wide 20" deep, style no 89DF23595023, 800 amps Horizontal bus , 600 amps vertical bus, 42K amps RMS Symm, 600 V maximum


1st section incoming , Power Monitoring Device SENTRON PAC3200, 2 x Cat 40FP32 A , 25 HP @460 v size 2, 1 x cat 40Hp32A, 50 hp @460 v size 3

2nd section 2 x SCALANCE XC216 communication module, 2 x Size 1 Disconnect for Comm. Module, 3 x Cat 40FP32 A , 25 HP @460 v size 2

3rd section 6 x Cat 40FP32 A , 25 HP @460 v size 2








Siemens tiastar Motor Control Center, NEMA 1, 3 sections 20" wide 20" deep, style no 89DF23595023, 800 amps Horizontal bus , 600 amps vertical bus, 42K amps RMS Symm, 600 V maximum
1st section 1 x Cat 40SG32 A , 100 HP @460 v , size 4, 1 x cat 40HP32A 50hp @460 v, Size 3 , 2 x cat 40FP32a, 25 hp @ 460 V ,Size 2
2nd section 3 x cat 40HP32A 50hp @460 v, Size 3
3rd section 1 x Size 1 , 1 x 50 HP @ 480 v, SINAMICS Power Module PM240-2 (used for Fan)



NSV Energy LLC
35 Hickory Springs Industrial Drive
Canton GA 30115



Shipping Size 60" L x 50" W x 8'4" H 800 lbs